



Part Number Coding Booklet Vista Series

Vista Series

The Vista Series of analog panel meters offers accurate measurement and indication of most electrical and electronic parameters in industry as per industrial standard case size

The product groups available in the series are classified as;

Group	Description	Page
PQ2V	Moving Coil DC Vista 2.5" Meter	3-4
PQ3V	Moving Coil DC Vista 3.5" Meter	5-6
PQ4V	Moving Coil DC Vista 4.5" Meter	7-8
EQ2V	Moving Iron AC Vista 2.5" Meter	9-10
EQ3V	Moving Iron AC Vista 3.5" Meter	11-12
EQ4V	Moving Iron AC Vista 4.5" Meter	13-14
ZQ2V	Frequency Vista 2.5" Meter	15
ZQ3V	Frequency Vista 3.5" Meter	15
ZQ4V	Frequency Vista 4.5" Meter	16

The ranges given in the tables below are that of most commonly ordered type of meters.
For any range/type not available below, please consult the factory at info@sifamtinsley.com

The product code for the panel meters does not include the Scale.

The Scale should be mentioned separately.

Example: For 2 ½" 0-300V AC Input meter with 0-300V AC Scale, the ordering information should include;

Part No: EQ2V-V2DX2AW0000ST ; Scale: 0-300V AC

Product Code For Moving coil DC Current Vista 2.5" Meter (PQ2V)										
Product Code	PQ2V -	X	XX	X	X	X	X	XXXX	XX	
Input type for PQ2V	Current Meter	I								
Measuring range for PQ2V (Note : For all uA current ranges possible in 2.5 %)	50 uA		01							
	1 mA		02							
	100 mA		03							
	4-20 mA		04							
	6 A		05							
	10 A		06							
	25 A		07							
	50 A		08							
	100 uA		2L							
Zero position for PQ2V	Left Zero			L						
	Centre Zero			C						
	Suppressed Zero			S						
Accuracy Class for PQ2V	Class 1.5				1					
	Class 1.0				2					
	Class 2.5				4					
Type of Dial for PQ2V	Standard Aluminum					A				
	Aluminum with color mark					R				
	Aluminum with color bands					C				
	Blank Scale					B				
Background for PQ2V	White Background						W			
	Black Background						B			
Customer Code for PQ2V	Sifam Tinsley							0000	ST	

Product Code For Moving coil DC Voltage Vista 2.5" Meter (PQ2V)									
Product Code	PQ2V -	X	XX	X	X	X	X	XXXX	XX
Input type for PQ2V	Voltage Meter	V							
Measuring range for PQ2V	30 mV		2A						
	50 mV		2B						
	0.5 V		2C						
	10 V		2D						
	15 V		2E						
	30 V		2F						
	50 V		2G						
	60 V		2H						
	150 V		2J						
	100 V		2K						
	100 mV		2M						
Zero position for PQ2V	Left Zero			L					
	Centre Zero			C					
	Suppressed Zero			S					
Accuracy Class for PQ2V	Class 1.5				1				
	Class 1.0				2				
Type of Dial for PQ2V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
	Blank Scale					B			
Background for PQ2V	White Background						W		
	Black Background						B		
Customer Code for PQ2V	Sifam Tinsley							0000	ST

Product Code For Moving coil DC Current Vista 3.5" Meter (PQ3V)									
Product Code	PQ3V -	X	XX	X	X	X	X	XXXX	XX
Input type for PQ3V	Current Meter	I							
Measuring range for PQ3V (Note : For all uA current ranges possible in 2.5 %)	50 uA		01						
	1 mA		02						
	100 mA		03						
	4-20 mA		04						
	6 A		05						
	10 A		06						
	25 A		07						
	50 A		08						
	50 mA		2M						
	10 mA		2N						
Zero position for PQ3V	Left Zero			L					
	Centre Zero			C					
	Suppressed Zero			S					
Accuracy Class for PQ3V	Class 1.5				1				
	Class 1.0				2				
	Class 2.5				4				
Type of Dial for PQ3V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
	Blank Scale					B			
Background for PQ3V	White Background						W		
	Black Background						B		
Customer Code for PQ3V	Sifam Tinsley							0000	ST

Product Code For Moving coil DC Voltage Vista 3.5" Meter (PQ3V)									
Product Code	PQ3V -	X	XX	X	X	X	X	XXXX	XX
Input type for PQ3V	Voltage Meter	V							
Measuring range for PQ3V	30 mV		2A						
	50 mV		2B						
	0.5 V		2C						
	10 V		2D						
	15 V		2E						
	30 V		2F						
	50 V		2G						
	60 V		2H						
	150 V		2J						
	100 V		2K						
	60 mV		2L						
Zero position for PQ3V	Left Zero		L						
	Centre Zero		C						
	Suppressed Zero		S						
Accuracy Class for PQ3V	Class 1.5			1					
	Class 1.0			2					
Type of Dial for PQ3V	Standard Aluminum				A				
	Aluminum with color mark				R				
	Aluminum with color bands				C				
	Blank Scale				B				
Background for PQ3V	White Background					W			
	Black Background					B			
Customer Code for PQ3V	Sifam Tinsley						0000	ST	

Product Code For Moving coil DC Current Vista 4.5" Meter (PQ4V)									
Product Code	PQ4V -	X	XX	X	X	X	X	XXXX	XX
Input type for PQ4V	Current Meter	I							
Measuring range for PQ4V (Note : For all uA current ranges possible in 2.5 %)	50 uA		01						
	1 mA		02						
	100 mA		03						
	4-20 mA		04						
	6 A		05						
	10 A		06						
	25 A		07						
	50 A		08						
	200 uA		09						
	15 A		10						
	10 mA		12						
	5 A		16						
Zero position for PQ4V	Left Zero			L					
	Centre Zero			C					
	Suppressed Zero			S					
Accuracy Class for PQ4V	Class 1.5				1				
	Class 1.0				2				
	Class 2.5				4				
Type of Dial for PQ4V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
	Blank Scale					B			
Background for PQ4V	White Background						W		
	Black Background						B		
Customer Code for PQ4V	Sifam Tinsley							0000	ST

Product Code For Moving coil DC Voltage Vista 4.5" Meter (PQ4V)									
Product Code	PQ4V -	X	XX	X	X	X	X	XXXX	XX
Input type for PQ4V	Voltage Meter	V							
Measuring range for PQ4V	30 mV		2A						
	50 mV		2B						
	0.5 V		2C						
	10 V		2D						
	15 V		2E						
	30 V		2F						
	50 V		2G						
	60 V		2H						
	150 V		2J						
	300 V		11						
	100 V		13						
	60 mV		14						
	75 mV		15						
	5 V		17						
Zero position for PQ4V	Left Zero			L					
	Centre Zero			C					
	Suppressed Zero			S					
Accuracy Class for PQ4V	Class 1.5				1				
	Class 1.0				2				
Type of Dial for PQ4V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
	Blank Scale					B			
Background for PQ4V	White Background						W		
	Black Background						B		
Customer Code for PQ4V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Current Vista 2.5" Meter (EQ2V)									
Product Code	EQ2V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ2V	Current Meter	I							
Measuring range for EQ2V	1 Amps		01						
	2 Amps		02						
	5 Amps		03						
	10 Amps		04						
	15 Amps		05						
	25 Amps		06						
	50 Amps		07						
	30 Amps		08						
Suppression for EQ2V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ2V	Class 1.5			1					
	Class 1.0			2					
Type of Dial for EQ2V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ2V	White Background						W		
	Black Background						B		
Customer Code for EQ2V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Voltage Vista 2.5" Meter (EQ2V)									
Product Code	EQ2V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ2V	Voltage Meter	V							
Measuring range for EQ2V	60 V		2A						
	110 V		2B						
	150 V		2C						
	300 V		2D						
	500 V		2E						
	600 V		2F						
	120 V		2G						
	400 V		2H						
	25 V		2J						
	40 V		2K						
Suppression for EQ2V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ2V	Class 1.5			1					
	Class 1.0			2					
Type of Dial for EQ2V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ2V	White Background						W		
	Black Background						B		
Customer Code for EQ2V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Current Vista 3.5" Meter (EQ3V)									
Product Code	EQ3V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ3V	Current Meter	I							
Measuring range for EQ3V	1 Amps		01						
	2 Amps		02						
	5 Amps		03						
	10 Amps		04						
	15 Amps		05						
	25 Amps		06						
	50 Amps		07						
	60 Amps		08						
Suppression for EQ3V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ3V	Class 1.5				1				
	Class 1.0				2				
Type of Dial for EQ3V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ3V	White Background						W		
	Black Background						B		
Customer Code for EQ3V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Voltage Vista 3.5" Meter (EQ3V)									
Product Code	EQ3V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ3V	Voltage Meter	V							
Measuring range for EQ3V	60 V		2A						
	110 V		2B						
	150 V		2C						
	300 V		2D						
	500 V		2E						
	600 V		2F						
	120 V		2G						
	400 V		2H						
Suppression for EQ3V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ3V	Class 1.5			1					
	Class 1.0			2					
Type of Dial for EQ3V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ3V	White Background						W		
	Black Background						B		
Customer Code for EQ3V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Current Vista 4.5" Meter (EQ4V)									
Product Code	EQ4V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ4V	Current Meter	I							
Measuring range for EQ4V	1 Amps		01						
	2 Amps		02						
	5 Amps		03						
	10 Amps		04						
	15 Amps		05						
	25 Amps		06						
	50 Amps		07						
Suppression for EQ4V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ4V	Class 1.5				1				
	Class 1.0				2				
Type of Dial for EQ4V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ4V	White Background						W		
	Black Background						B		
Customer Code for EQ4V	Sifam Tinsley							0000	ST

Product Code For Moving Iron AC Voltage Vista 4.5" Meter (EQ4V)									
Product Code	EQ4V -	X	XX	X	X	X	X	XXXX	XX
Input type for EQ4V	Voltage Meter	V							
Measuring range for EQ4V	60 V		2A						
	110 V		2B						
	150 V		2C						
	300 V		2D						
	500 V		2E						
	600 V		2F						
	120 V		2G						
	400 V		2H						
Suppression for EQ4V	X 1			1					
	X 2			2					
	X 3			3					
	X 4			4					
	X 5			5					
	X 6			6					
	NA			X					
Accuracy Class for EQ4V	Class 1.5			1					
	Class 1.0			2					
Type of Dial for EQ4V	Standard Aluminum					A			
	Aluminum with color mark					R			
	Aluminum with color bands					C			
Background for EQ4V	White Background						W		
	Black Background						B		
Customer Code for EQ4V	Sifam Tinsley							0000	ST

Product Code For Frequency Vista 2.5" Meter (ZQ2V)									
Product Code	ZQ2V -	XX	XX	X	X	X	XXXX	XX	
Frequency for ZQ2V	45 - 55 - 65 Hz	46							
	45 - 50 - 55 Hz	45							
	55 - 60 - 65 Hz	56							
Input Voltage for ZQ2V	220 V	01							
	240 V	02							
	110 V	03							
	500 V	04							
	120 V	05							
	480 V	06							
Accuracy Class for ZQ2V	Class 1.0			2					
	Class 0.5			3					
Type of Dial for ZQ2V	Standard Aluminum				A				
	Aluminum with color mark				R				
	Aluminum with color bands				C				
Background for ZQ2V	White Background					W			
Customer Code for ZQ2V	Sifam Tinsley						0000	ST	

Product Code For Frequency Vista 3.5" Meter (ZQ3V)									
Product Code	ZQ3V -	XX	XX	X	X	X	XXXX	XX	
Frequency for ZQ3V	45 - 55 - 65 Hz	46							
	45 - 50 - 55 Hz	45							
	55 - 60 - 65 Hz	56							
Input Voltage for ZQ3V	220 V	01							
	240 V	02							
	110 V	03							
	500 V	04							
	120 V	05							
	480 V	06							
Accuracy Class for ZQ3V	Class 1.0			2					
	Class 0.5			3					
Type of Dial for ZQ3V	Standard Aluminum				A				
	Aluminum with color mark				R				
	Aluminum with color bands				C				
Background for ZQ3V	White Background					W			
Customer Code for ZQ3V	Sifam Tinsley						0000	ST	

Product Code For Frequency Vista 4.5" Meter (ZQ4V)								
Product Code	ZQ4V -	XX	XX	X	X	X	XXXX	XX
Frequency for ZQ4V	45 - 55 - 65 Hz	46						
	45 - 50 - 55 Hz	45						
	55 - 60 - 65 Hz	56						
Input Voltage for ZQ4V	220 V	01						
	240 V	02						
	110 V	03						
	500 V	04						
	120 V	05						
	480 V	06						
Accuracy Class for ZQ4V	Class 1.0			2				
	Class 0.5			3				
Type of Dial for ZQ4V	Standard Aluminum				A			
	Aluminum with color mark				R			
	Aluminum with color bands				C			
Background for ZQ4V	White Background					W		
Customer Code for ZQ4V	Sifam Tinsley							